

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	priority with rules with order	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L2	0	(Data same communication SAME (power adj line)), PN.	US-PPGUB; USPAT; DERWENT	OR	OFF	2009/11/11 17:54
L3	5180	Data same communication SAME (power adj line)	US-PPGUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L4	169	(Data same communication) SAME (power adj line) (connection near2 type)	US-PPGUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L5	111	(37/389).CCLS.	US-PPGUB; USPAT; DERWENT	OR	OFF	2009/11/11 17:54
L6	0	L2 L5	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L7	0	L4 L5	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L8	185008	"725"	US-PPGUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L9	18	L8 L4	US-PPGUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L10	18	L8 L4	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54

L11	25	(Data same communication) SAME (power adj line) (connection near2 type) SO	US-PGPUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L12	12	L11 @ad < "20020926"	US-PGPUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L13	26	(Data same communication) SAME (power adj line) (connection near2 type) (application near2 data)	US-PGPUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L14	5	(Data near2 communication) SAME (power adj line) (connection near2 type) (application near2 data)	US-PGPUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L15	151	(Data adj (packet OR communication)) SAME (power adj line) (connection near2 type)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L16	50	L15 @ad < "20020926"	US-PGPUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L17	157615	PLC	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L18	1602	L17 (connection near2 type)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L19	0	L18 (data adj acket)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L20	150	L18 (data adj packet)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L21	46	L20 classif\$7	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L22	5	L21 fragment\$5	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54

L23	3	((power adj line) PLC) (connection near2 type) (data adj packet) classif\$7 fragment\$5	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L24	329	(connection near2 type) (data adj packet) classif\$7 fragment\$5	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L25	273	(connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L26	125	L25 @ad < "20020926"	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L27	1	L26 (Power adj line)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L28	0	L27 (application adj data)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L29	52	L26 (application adj data)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L30	43	L29 ((service adj access adj point) OR SAP)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L31	17094	370/389	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L32	11035	370/392	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L33	2093	370/395.2	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L34	2370	370/395.21	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54

L35	1183	370/395.3	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L36	1306	370/395.31	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L37	1827	370/395.52	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L38	2550	370/419	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L39	1449	370/420	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L40	3388	370/463	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L41	3796	370/469	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L42	212	(connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L43	3	(connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter (application with map\$5 with transport)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L44	15	(SAP or (service adj access adj point))(connection near2 type) (application with map\$5 with transport)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L45	5	L44 @ad < "20020926"	US-PPGUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L46	335	(SAP or (service adj access adj point))(connection near2 type) (application adj data)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54

L47	5	L45 @ad < "20020926"	US-PPGUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L48	116	L46 @ad < "20020926"	US-PPGUB; USPAT; DERWENT	AND	OFF	2009/11/11 17:54
L49	28	L31 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L50	21	L32 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L51	5	L33 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L52	5	L34 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L53	1	L36 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L54	4	L37 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L55	5	L38 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L56	5	L40 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L57	13	L41 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L58	1449	370/420	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54

L59	2	L58 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L60	1183	370/395.3	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L61	4	L60 (connection near2 type) (data adj packet) classif\$7 fragment\$5 parameter map\$7	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L62	2830	SAP priority connection (parameter)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L63	2	SAP with priority with connection with (set near2 parameter)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L64	2	SAP priority with connection with (set near2 parameter)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L65	43	SAP priority connection with (set near2 parameter)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L66	15022	370/389,392,395.2,395.21,395.51,419,420,463,469),CCLS.	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/11/11 17:54
L67	1	("0000015").PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/11/11 17:54
L68	108	L62 L66	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L69	2	L65 L66	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L70	2	("20030103521").PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/11/11 17:54

L71	1040	fragment\$5 with bandwidth	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L72	73	fragment\$5 with bandwidth with connection	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L73	30	fragment\$5 near3 bandwidth with connection	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L74	14	fragment\$5 near3 bandwidth near3 connection	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L75	0	(fragment\$5 adj depend) with bandwidth near3 connection	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L76	0	(fragment\$5 adj depend) with bandwidth	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L77	13	(fragment\$5 adj3 depend\$5) with bandwidth	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L78	10	(power adj line) with (transport adj layer)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L79	135	(power adj line) same (transport adj layer)	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L80	81	(power adj line) same (transport adj layer) priority	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L81	2	(power adj line) same (transport adj layer) priority (Service adj) Access adj Point	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L82	13	(power adj line) (transport adj layer) priority (Service adj) Access adj Point	US-PPGUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54

L83	13	(power adj line) (transport adj layer) (Service adj Access adj Point) priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L84	3	(transport adj layer) (Service adj Access adj Point) with priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L85	1	(transport adj layer) same (Service adj Access adj Point) same priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L86	92	(transport adj layer) same (Service adj Access adj Point)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L87	40	(transport adj layer) same (Service adj Access adj Point) priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L88	108	TSAP priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L89	0	TSAP with priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L90	0	TSAP same priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L91	27	TSAP priority rule	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L92	9	SAP with priority with (set near2 parameter)	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L93	83	SAP with priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54
L94	11	socket with parameter with priority	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/11 17:54

11/11/2009 6:02:07 PM

C:\Documents and Settings\jwu2\My Documents\EAST\Workspaces\10663866.wsp

